in said dictionary means which equals
said word input, being actuated by the
corresponding key;

means for (selecting) a desired
word among words which were selected by
said means for determining said word;

output means for outputting said
word which was selected by said word for
selecting said word;

means for controlling all said
means;

characterized in that the method
comprises:

input means for inputting
a plurality of a line of text, character
by character;

dictionary means for storing a
plurality of the line of text which is
derived from one of relevant word and
relevant words;

means for determining a unique
line of text in said dictionary means
which is unique and could be the number
of characters less than that in said
dictionary means and which includes said
line of text from said input means,
to be done without being actuated by
such corresponding keys as Enter, Tab,
Space, etc, at the time of each character
input;

means for selecting a desired
word among said relevant words, in case of
having plural relevant words in said
dictionary means, by the selection of
the desired word which is unique and

terminates with the same one as the last
input character, or which is unique and
includes the same one as the last input
character in the remaining part of
relevant words other than that was
already collated, at the time of
the following characters input, after
the successful execution of said means
for determining said unique line of
text;

output means for outputting said
unique word represented by said line of
text which was determined by said means
for determining said unique line of text,
or outputting said desired word selected
by said means for selecting said desired
word.

29. The method of claim 28, wherein
the method comprises:
input means for inputting
a plurality of a line of text, character
by character;
dictionary means for storing
a plurality of the line of text;
means for determining a unique
line of text in said dictionary means
which is unique and could be the number
of characters less than that in said
dictionary means and which includes said
line of text from said input means,
to be done without being actuated by the
corresponding key, at the time of each
character input, and wherein
in case of detecting plural lines of text
which have the same leading part, said

means for determining the unique line of
text determines said unique line of text
which is unique and terminates with the
same one as the last input character, or
which is unique and includes the same one
as the last input character in the
remaining part of line of text other than
said same leading part, at the time of
following characters input;
            output means for outputting said
line of text which was determined by said
system for determining said unique line
of text.
30.   The method of claim 28, wherein
the method comprises:
            input means for inputting
a plurality of a first character followed
by some other characters of a line of
text to input from said input means;
            dictionary means for storing
a plurality of the line of text;
            said means for determining a
unique line of text comprises determination
of said unique line of text in said
dictionary means which contains the first
character followed by some other
characters of said line of text from said
input means, at the time of each character
input, and wherein
in case of that there are plural lines of
text with the same first and some other
characters of said line of text from said
input means, said means for determining
the unique lines of text determines said
unique line of text which terminates with

the same character as the last input
character, or which is unique and includes
the same one as the last input character
in the remaining part of line of text
other than the part that was already
collated with said dictionary data,
at the time of following characters input.
31. The method of claim 28, wherein the
method comprises:
dictionary means for storing
a plurality of a line of text which has
a unique position count given to said
unique line of text in said dictionary
means;
means for determining a unique
line of text comprises determination of
a unique line of text or a predetermined
specific number range of line of text
which could be the number of codes equal
to or less than that in said dictionary
means and which includes said line of
text from said input means, or which
contains the first character followed by
some other characters of said line of
text input from said input means, to be
done without being actuated by the corres-
ponding key, at the time of each input,
and wherein in case of the successful
result of determination by means for
determining the unique line of text,
said means for determining the unique line
of text determines said unique line of text
with said unique position count in said
dictionary means which is the same as
the contents of input counter comparing

said unique position count with said input
counter adding 1 to said data input counter,
at the time of each actual data input,
and wherein in case of detecting plural
lines of text which could be the number of
codes equal to or less than that in said
dictionary means and which includes said
line of text from said input means or
which has the same leading part as said
line of text from said input means in said
dictionary means, said means for determi-
ning the unique line of text determines
said unique line of text with said unique
position count in said dictionary means
which is the smallest or largest number
among said plural lines of text comparing
said unique position count with said data
input counter adding 1 to said data input
counter, at the time of each actual input;
32.   The method of claim 28, wherein
the method comprises:
       said means for determining a
unique line of text comprises determi-
nation of said unique line of text or
a predetermined and specific number range
of line of text which could be the number
of codes equal to or less than that
in said dictionary means and which has
the same first and last part as those of
said line of text from said input means,
and which include some others between
said first and last characters of said
line of text from said input means,
regardless of the continuity of said some
others to be equivalent while collating

between said line of text and said dictio-
nary data, either from left to right
comparison of the first character and its
followings or from right to left for the
comparison of said last character and its
preceding one.

33.   The method of claim 28, wherein
the method comprises:
        said means for determining a
unique line of text comprises determi-
nation of said unique line of text or
a predetermined and specific number range
of line of text which could be the number
of codes equal to or less than that in said
dictionary means, and which has the same
leading part as said line of text from
said input means, and which has the same
end part as the remaining part of said line
of text other than that was successfully
collated with said dictionary data, at
the time of each input.

34.   The method of claim 28, wherein
the method comprises:
        said dictionary means for storing
a line of text is organized in a random
access manner.

35.   The method of any of preceding
claims, wherein the method comprises:
        said input means for inputting
a plurality of data which consist of
a character or a stroke of character or
a radical of character or a word pattern
element data from said input means:
        said dictionary means for storing
a plurality of data which consist of the

character or the stroke of character or
the radical of character or the word
pattern data:

    means for determining a unique
data comprises determination of said
unique data or a predetermined and specific
number range of data in said dictionary
means which includes said data from said
input means, or which contains the first
part followed by some others of said data
from said input means, at the time of each
data input:

    output means for outputting said
data or generating and outputting the print
image generated using said data which was
determined by said means for determining
said unique data.

Remarks:

In the EXAMINER INTERVIEW SUMMARY RECORD.
it is mentioned that "Examiners indicated
problems with current languages. For example
how would "word data" differ from "line of
text? How does "line of text" differ from
"abbreviation or shorthand" What data is
contained in the dictionary. These are
illustrative of problems found and is not
present of an exhaustive list.

In reponse to the first question raised in
the above SUMMARY RECORD. I have amended
claims to state without using "data."
As for the 2nd question. I mean "a string of